

# INDEX MAPS.

## T. 27N, R. 3W. 2<sup>nd</sup> Mer.

Meanders 193

	169		169		169		168		168		168	
171	6	193	5	188	4	183	3	178	2	175	1	168
	193		192		187		183		178		175	
171	7	192	8	187	9	182	10	178	11	174	12	167
	191		191		187		182		177		174	
171	18	191	17	186	16	182	15	177	14	174	13	167
	190		190		185		181		177		173	
170	19	190	20	185	21	181	22	176	23	173	24	167
	189		189		185		180		176		172	
170	30	189	29	184	28	180	27	176	26	172	25	167
	189		188		184		179		175		172	
170	31	188	32	184	33	179	34	175	35	171	36	166
	166		166		166		165		165		165	

## T. 28N, R. 3W. 2<sup>nd</sup> Mer.

*Meanders 232*

211	6	232	5	227	4	222	3	218	2	214	1	208
	232		231		227		222		218		214	
210	7	231	8	226	9	221	10	217	11	213	12	208
	230		231		226		221		217		213	
210	18	230	17	226	16	220	15	217	14	213	13	207
	230		230		225		220		216		212	
210	19	229	20	224	21	220	22	216	23	212	24	207
	229		229		224		220		216		212	
209	30	228	29	223	28	219	27	215	26	212	25	207
	228		228		223		219		215		211	
209	31	227	32	222	33	218	34	215	35	211	36	207
	206		206		205		205		205		205	

The figures on the lines refer to the page.

# Township N. 27 North, Range N. 3 W. 2 Mer. Ind.

## Township Lines.

Ch. 30.

South Boundary. Var. 5.30 E.

Bearings at cn. of T. 26 &amp; 27 N, R. 2 &amp; 3 W.

a W. Oak 24 in. dia bears N 85 E 97 1/2 lbs. dist. 2

a Do 15 " " " N 80 W 53 " "

West on the S. Boundary of Sec. 36

33.97 a W. Oak 22 in. dia.

40.00 set of sec. post from which

a W. Oak 19 in. dia bears N 77 E 68 1/2 lbs. dist. 3

a Do 18 " " " N 81 W 84 " "

52.00 enter wet Prairie

80.00 set post cn. of sec. 35 &amp; 36 in a Pond, water too deep to raise a Mound.

Land level 2 rate, timber Oak no Upr.

West on the S. Boundary of Sec. 35

24.00 leave Prairie

28.93 a R. Oak 24 in. dia.

40.00 set of sec. post from which

a W. Oak 13 in. dia bears N 68 E 42 1/2 lbs. dist. 2

a Do 21 " " " N 21 W 6 " "

80.00 set post cn. of sec. 34 &amp; 35 from which

a W. Oak 18 in. dia bears N 89 W 36 1/2 lbs. dist. 3

a Bur Oak 17 " " " West 247 " "

Land level 2 rate, thinly timbered with Oak

West on the S. Boundary of Sec. 34

32.78 a Lym 24 in. dia.

40.00 set of sec. post from which

a Poplar 36 in. dia bears N 70 E 37 1/2 lbs. dist. 2

a R. Oak 22 " " " N 44 W 22 " "

46.70 set post on left bank of Tippecanoe R. from which

a Lym 5 in. dia bears S 71 E 17 1/2 lbs. dist. 2

an Elm 6 " " " N 49 E 94 " "

51.30 set post on right bank of Tip. R. from which

a B. Oak 10 in. dia bears S 28 W 12 1/2 lbs. dist. 2



T. 27 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>  
Chs. Shs.

a B. Oak 11 in. dia. bears N 6 E 3 lks. dist.

80.00 set post cn. of sec. 33 & 34 from which

a W. Oak 30 in. dia. bears N 18 E 101 lks. dist. &

a B. Oak 24 " " " S 7 W 62 " "

Land broken & rate Barrens with scattering Oak  
Upr. Hickory & Hazel

West on the S. Boundary of Sec. 33

23.00 enter Prairie

40.00 set q. sec. post in Prairie (no Bearing trees)

80.00 set post cn. of sec. 32 & 33 & raised a Mound

Land 1<sup>st</sup> rate

West on the S. Boundary of Sec. 32

40.00 set q. sec. post, no Bearing trees

80.00 set post cn. of sec. 31 & 32 & raised a Mound

Land 1<sup>st</sup> rate dry Prairie

West on the S. Boundary of Sec. 31

40.00 set q. sec. post in Prairie (no Bearing trees)

79.91 Enter W. Boundary 182 lks. N. of post -

set post at intersection cn. of T. 26 & 27 N., R. 2 & 3

W. & raised a Mound (No Bearing trees)

Land 1<sup>st</sup> rate dry Prairie

East Boundary, Var. 5° 30' E.

North on the E. Boundary of Sec. 36

32.95 a B. Oak 18 in. dia.

35.00 enter Prairie

40.00 set q. sec. post from which

a B. Oak 20 in. dia. bears S 64 W 264 lks. dist. &

no other Bearing tree

80.00 set post cn. of sec. 25 & 36 & raised a Mound

(No Bearing trees & Description of land & omitted)

T. 27 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>  
 Ctr. Ch.

North on the E. Boundary of Sec. 25

35.50 leave Prairie & enter a grove

40.00 set g. sec. post in grove from which  
 a Hickory 8 in. diameter N 84° W 20 ft. dist. &  
 a S 6 " " " N 22° W 102 " "

44.50 enter S. Prairie

80.00 set post cor. of sec. 24 & 25 from which no Bearings  
 raised a Mound.

Land level rich, with a grove of Oak & Hickory  
 on the T<sup>st</sup> 1/2 mile

North on the E. Boundary of Sec. 24

40.00 set g. sec. post from which  
 a Bur Oak 27 in. diameter S 39° W 50 ft. dist.  
 (no other Bearing tree)

80.00 set post cor. of sec. 13 & 24 & raised a Mound  
 (No Bearing trees)

Land good soil wet Prairie

North on the E. Boundary of Sec. 13

40.00 set g. sec. post from which  
 a W. Oak 36 in. diameter N 18° W 240 ft. dist. &  
 a S 23 " " " N 33° W 225 " "

66.00 leave Prairie

76.44 a W. Oak 36 in. dia.

80.00 set post cor. of sec. 12 & 13 from which  
 a W. Oak 27 in. diameter S 2° W 340 ft. dist. &  
 a S 18 " " " N 39° W 154 " "

Land level 2. rate, the last part of this line  
 thinly timbered with Oak

North on the E. Boundary of Sec. 12

10.00 enter Barrens

40.00 set g. sec. post from which  
 a Hickory 15 in. diameter S 67° W 150 ft. dist.  
 no other Bearing tree

## T. 27 N., R. 3 W. 2. Mer. Ind. a

Chs. Chs.

64.77 a B. Oak 16 in. dia.

80.00 set post cor. of sec. 1 &amp; 12 from which

a W. Oak 28 in. dia. bears S 73° W 310 lbs. dist. 28,

a Do 28 " " " N 72° W 303 " "

Land level 2<sup>d</sup> rate Barrens with scattering  
Oak timber

North on the E. Boundary of Sec. 1

16.00 a B. Oak 16 in. dia.

40.00 set of sec. post from which

a W. Oak 20 in. dia. bears S 60° W 96 lbs. dist. 2,

a Do 20 " " " West 120 " "

78.85 to post cor. of T. 27 &amp; 28 N., R. 2 &amp; 3 W. from which

a W. Oak 30 in. dia. bears S 11° E 416 lbs. dist. 28,

a Do 27 " " " S 19° W 399 " "

Land, timber &amp;c. the same as last noted

May 14. 1828

North Boundary. Var. 6.00. E.

West on the S. Boundary of Sec. 36, T. 28 N., R. 3 W

40.00 set of sec. posts in field (no bearing trees)

80.00 set post cor. of sec. 35 &amp; 36 from which

a W. Oak 27 in. dia. bears S 46° E 202 lbs. dist. 28,

a Do 24 " " " S 18° W 107 " "

Land level & 2<sup>d</sup> rate Prairie

West on the S. Boundary of Sec. 35, T. 28 N., R. 3 W

40.00 set of sec. post, no bearing trees

46.50 leave Prairie

56.90 a W. Oak 20 in. dia.

80.00 set post cor. of sec. 34 &amp; 35 from which

a W. Oak 20 in. dia. bears N 62° E 13 lbs. dist. 28,

a Do 21 " " " N 51° W 32 " "

Land level & 2<sup>d</sup> rate, timber Oak

West on the S. Boundary of Sec. 34, T. 28 N., R. 3 W

Done

T. 27 N., R. 3 W. 2<sup>d</sup> Mer. Ind. a

Chr. Chr.

37.79 a W. Oak 20 in. dia.

40.00 set of sec. port from which

a W. Oak 18 in. dia. leans N 72 E 41 lbs. dist. 8

a Do 18 " " " N 81 W 36 " "

59.62 a Sugar 18 " "

80.00 set port cor. of sec. 33 &amp; 34 from which

a W. Oak 30 in. dia. leans N 79 E 53 lbs. dist. 8

a B. Oak 12 " " " N 33 W 91 " "

Land level & 2<sup>d</sup> rate, timber same as last noted

## West on the S. Boundary of Sec. 33, T. 28 N., R. 3 W.

40.00 set of sec. port from which

a W. Oak 28 in. dia. leans N 80 E 64 lbs. dist. 8

a Do 14 " " " N 60 W 77 " "

68.76 a B. Oak 15 " "

80.00 set port cor. of sec. 32 &amp; 33 from which

a Hickory 20 in. dia. leans N 49 E 20 lbs. dist. 8

a Sapapah 8 " " " N 85 W 91 " "

Land the same as before noted

## West on the S. Boundary of Sec. 32, T. 28 N., R. 3 W.

40.00 set of sec. port from which

a Sugar 4 in. dia. leans N 62 E 20 lbs. dist. 8

a Poplar 36 " " " N 38 W 72 " "

63.74 set port on left bank of Tip. R. from which

a B. Oak 7 in. dia. leans N 10 W 14 lbs. dist. 8

a Do 7 " " " S 20 W 46 " "

71.79 set port on right bank of Tip. R. from which

a Sycamore 12 in. dia. leans North 149 lbs. dist. 8

a Burr Oak 16 " " " West 208 " "

80.00 set port cor. of sec. 31 &amp; 32 from which

a W. Oak 9 in. dia. leans N 22 E 94 lbs. dist. 8

a Do 13 " " " N 14 W 79 " "

Land 2<sup>d</sup> rate, timber Oak, no Uls.

## West on the S. Boundary of Sec. 31, T. 28 N., R. 3 W.

Vol. 14

T. 27 N., R. 3 W. 2<sup>d</sup> Mer. Ind. <sup>a</sup>Chs. 1<sup>st</sup>

20.00 Mettamong Creek 130 lbs. wide course S E

28.69 a W. Oak 18 in. dia.

40.00 set of sec. post from which

a W. Oak 22 in. dia. bears N 75 E 127 lbs. dist. <sup>s</sup>

a Do 18 " " " N 139 W 195 " "

80.80 Entered W. Boundary 49 lbs. S. of post

set post at intersection cor. of T. 27 &amp; 28 N., R. 3 &amp;

4 W. from which

a W. Oak 27 in. dia. bears N 27 E 300 lbs. dist. <sup>s</sup>

a Do 22 " " " N 46 W 205 " "

Land a little rolling 2<sup>d</sup> rate, thinly timbered with Oak. May 19. 1828

## West Boundary. Var. 5° 30' E.

North on the E. Boundary of Sec. 36, T. 27 N., R. 4 W

33.00 a grove of Oak timber

40.00 set of sec. post from which

a B. Oak 14 in. dia. bears S 14 W 164 lbs. dist. <sup>s</sup>

a Do 5 " " " N 78 W 102 " "

60.20 a Do 30 " "

80.00 set post cor. of Sec. 25 &amp; 36 from which

a B. Oak 24 in. dia. bears S 64 W 338 lbs. dist. <sup>s</sup>

a Do 22 " " " N 8 W 167 " "

Land level 2<sup>d</sup> rate with scattering timber

North on the E. Boundary of Sec. 25, T. 27 N., R. 4 W

40.00 set of sec. post from which

a B. Oak 21 in. dia. bears North 669 lbs. dist.

(no other Bearing tree)

67.00 enter Prairie

80.00 set post cor. of Sec. 24 &amp; 25 &amp; raised a Mound

(No Bearing trees)

Land level 2<sup>d</sup> rate Barrens & wet Prairie

North on the E. Boundary of Sec. 24, T. 27 N., R. 4 W

40.00 set of sec. post in Prairie (no Bearing trees)



T. 27 N., R. 3 W. 2. Mer. Ind. a.  
Chs. Shs.

80.00 set post cor. of sec. 13 & 24 & raised a Mound  
(No Bearing trees) Land T. rate Prairie

North on the E. Boundary of Sec. 13, T. 27 N., R. 4 W

15.30 a Hickory 19 in. dia.

40.00 set q. sec. post in Pond (no Bearing trees)

75.00 a W. Oak 18 in. dia. & leave Prairie

80.00 set post cor. of sec. 12 & 13 from which

a W. Oak 22 in. dia. bears S 39 W 73 lbs. dist. 8

a Do 19 " " " S 43 E 194 " "

Land low & rich, last 5 Chs. thinly timbered with  
Oak

North on the E. Boundary of Sec. 12, T. 27 N., R. 4 W

14.94 a W. Oak 18 in. dia.

40.00 set q. sec. post from which

a W. Oak 20 in. dia. bears N 54 E 162 lbs. dist. 8

a Do 22 " " " N 35 E 163 " "

66.17 a B. Oak 24 " "

66.50 enter Prairie

80.00 set post cor. of sec. 1 & 12 (from which no Bearings)  
and raised a Mound

Land T. rate, with scattering Oak timber

North on the E. Boundary of Sec. 1, T. 27 N., R. 4 W

40.00 set q. sec. post in Prairie (no Bearing trees)

53.50 leave Prairie

60.68 a W. Oak 36 in. dia.

69.70 a Do 19 " "

80.00 set temp. post for Township corner  
Land the same as before noted.

May 15. 1828. Surveyed by

David Hillis, Dep. Sur.

Subdivision.

North between Sec. 35 & 36, T. 27 N., R. 3 W

## T. 27 N., R. 3 W. 2. Mer. Ind. a

Chr. Shp.

22.50 leave Prairie

23.02 a Hickory 24 in. dia.

35.00 enter Prairie

40.00 set q. sec. post (no Bearing trees)

49.50 leave Prairie

50.29 a Bur Oak 25 in. dia.

74.05 a W. Oak 18 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which  
 a W. Oak 24 in. dia. bears N 73° W 87 lbs. dist 7  
 a Dr 24 " " " N 86° E 30 " "  
 Land level 2<sup>d</sup> rate, timber Oak, no Wgs.

## East on Random between Sec. 25 &amp; 36

40.00 set temp. q. sec. post

53.00 enter Prairie

80.22 Intersect E. Boundary 14 lbs. S. of post -  
 Land the same as before noted

## West Corrected between Sec. 25 &amp; 36

40.11 set q. sec. post at aver. dist. from which  
 a W. Oak 24 in. dia. bears N 47° E 40 lbs. dist 8  
 a Dr 24 " " " S 11° W 30 " "

80.22 to sec. cor. October 15. 1828

## North between Sec. 25 &amp; 26

27.48 a B. Oak 30 in. dia.

39.00 enter Prairie

40.00 set q. sec. post from which  
 a W. Oak 20 in. dia. bears South 111 lbs. dist 8  
 a Dr 25 " " " - 75° W 56 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which  
 no Bearings) and raised a Mound  
 Prairie 1<sup>st</sup> rate 2<sup>d</sup> rate, timber Oak, no Wgs.

## East on Random between Sec. 24 &amp; 25

34.50 enter Prairie

T. 27 N., R. 3 W. 2. Mer. Ind.<sup>n</sup>.  
Chr. Chr.

40.00 set temp. gr. sec. port  
47.30 leave Prairie  
55.00 enter Prairie  
80.10 Entered E. Boundary at port -  
Land &c. as before noted

---

West Connected between Sec. 24 & 25  
40.05 set gr. sec. port at avor. dist. in Prairie  
(No Bearing trees)  
80.10 to sec. cor.

---

North between Sec. 23 & 24  
11.00 leave Prairie  
40.00 set gr. sec. port from which  
a Hickory 18 in. dis. bears S 20° E 241 lb. dist. 8  
a Do 14 " " " N 8° W 200 " "  
66.36 a W. Oak 30 " "  
80.00 set port cor. of sec. 13, 14, 23 & 24 from which  
a W. Oak 22 in. dis. bears S 51° W 76 lb. dist. 8  
a Do 18 " " " N 62° E 30 " "  
Land level 2<sup>d</sup> rate Barrens with some scat-  
tering Oak & Hickory, no Ugr.

---

East on Random between Sec. 13 & 24  
40.00 set gr. sec. port (Temp.)  
43.00 enter Prairie  
79.94 Entered E. Boundary 44 lb. S. of port -  
Land level 1<sup>st</sup> rate, timber Sugar, Hickory &  
Oak, no Ugr.

---

West Connected between Sec. 13 & 24  
39.97 set gr. sec. port at avor. dist. from which  
a Jack Oak 5 in. dis. bears N 54° W 44 lb. dist. 8  
a Do 3 " " " N 67° W 35 " "  
79.94 to sec. cor.

---

## T. 27 N., R. 3 W. 2. Mer. Ind. a

Chr. Chr.

North between Sec. 13 &amp; 14

17.46 a W. Oak 18 in. dia.

40.00 set g. sec. post from which

a Bur Oak 20 in. dia bears S 34 E 125 yds. dist. S

a W. Oak 24 " " " N 34 W 86 " "

51.90 a Do 22 " "

74.00 enter S. Prairie

80.00 set post cor. of sec. 11, 12, 13 & 14 in edge of Prairie  
from which

a W. Oak 29 in. dia bears N 8 E 136 yds. dist. S

a Do 36 " " " N 15 W 185 " "

Land level &amp; 2 rods, timber Oak, no bluffs.

East in Random between Sec. 12 &amp; 13

40.00 set temp. g. sec. post in Prairie

45.50 leave Prairie

79.88 Intersect E. Boundary 18 yds. S. of post -

Land Prairie T. rate

West Connected between Sec. 12 &amp; 13

39.94 set g. sec. post at aver. dist. in Prairie,  
(no Bearing trees)

79.88 to sec. cor.

North between Sec. 11 &amp; 12

16.85 enter S. Prairie

21.90 leave "

23.50 a W. Oak 24 in. dia.

40.00 set g. sec. post from which

a W. Oak 24 in. dia bears S 61 W 136 yds. dist. S

a Do 20 " " " N 83 W 149 " "

62.62 a Do 18 " "

80.00 set post cor. of sec. 1, 2, 11 &amp; 12 from which

a W. Oak 20 in. dia bears N 25 E 150 yds. dist. S

a Do 24 " " " N 24 W 150 " "

Land level 2 rods Barrens with scattering Oak

## T. 27 N., R. 3 W. 2. Mer. Ind. a.

Ch. Lk.

East on Random between Sec. 1 &amp; 12

20.00 enter Barrens

40.00 set temp. q. sec. post

79.96 Intersect E. Boundary 27<sup>th</sup> N. S. of post -  
Land 1<sup>st</sup> rate Barrens

West Connected between Sec. 1 &amp; 12

39.98 set q. sec. post at av. dist. in Barrens  
(No Bearing trees)

79.96 to sec. cor.

North between Sec. 1 &amp; 2

20.88 enter S. Prairie

40.00 set q. sec. post (no Bearing trees)

47.93 leave S. Prairie

70.38 a W. Oak 30 in. dia.

79.00 Intersect N. Boundary at post -

Land level 2<sup>d</sup> rate, timber Oak, no Ugs.

October 16. 1828

North between Sec. 34 &amp; 35

17.69 a W. Oak 14 in. dia.

29.54 a B. Oak 29 " "

40.00 set q. sec. post from which

a W. Oak 24 in. dia. bears N 46° W 130<sup>th</sup> dist. 18

a Do 22 " " S 26° E 38 " "

55.00 enter wet Prairie

80.00 set post cor. of sec. 26, 27, 34 & 35 & raised a  
Mound. (No Bearing trees)Land 1<sup>st</sup> rate, timber Oak

East on Random between Sec. 26 &amp; 35

10.00 leave Prairie

40.00 set temp. q. sec. post

45.00 enter Prairie

54.50 leave "



T. 27 N., R. 3 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Chs. Shs.

80.20 Intersect N & S. line 7<sup>th</sup> W. N. of post -  
Land level 2<sup>d</sup> rate, timber Oak, no Uly.

---

West Corrected between Secs. 26 & 35

40.10 set q. sec. post at aver. dist. from which  
a Run Oak 22 in. diameter S 55 E 7<sup>th</sup> W. dist. 8,  
a Dr 22 " " " N 23 W 18 " "

80.20 to sec. cor.

---

North between Secs. 26 & 27

15.00 leave Prairie

35.75 a W. Oak 24 in. dia.

40.00 set q. sec. post from which  
a W. Oak 26 in. diameter S 87 W 29<sup>th</sup> W. dist. 8,  
a Dr 15 " " " S 45 E 52 " "

64.59 a Dr 18 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which  
a W. Oak 30 in. diameter S 86 E 61<sup>th</sup> W. dist. 8,  
a Dr 23 " " " N 52 - 114 " "  
Land level 2<sup>d</sup> rate, timber Oak, no Uly.

---

East on Random between Secs. 23 & 26

7.00 enter Prairie

25.00 Oak grove

30.00 Prairie

40.00 set temp. q. sec. post

80.25 Intersect N & S. line 27<sup>th</sup> W. N. of post -  
Land T. rate 4.

---

West Corrected between Secs. 23 & 26

40.12<sup>1</sup>/<sub>2</sub> set q. sec. post at aver. dist. in Prairie  
(No Bearing trees)

80.25 to sec. cor.

---

North between Secs. 22 & 23

22.00 enter Prairie

T. 27 N., R. 3 W. 2. Mer. Ind.

Chr. Lhs.

40.00 set g. sec. post in Prairie (no Bearing trees)  
52.00 leave Prairie  
53.05 a R. Oak 30 in. dia.  
74.14 a W. Oak 18 " "  
78.27 a Stream 25 lbs. wide course W.  
80.00 set post cn. of sec. 14, 15, 22 & 23 from which  
a Bur Oak 27 in. dia. bears S 9 E 40 lbs. dist. 8,  
a W. Oak 24 " " " N 30 E 3 " "  
Land level 2<sup>d</sup> rate, scattering Oak timber, no Upr.

---

East on Randon between Sec. 14 & 23

3.26 a Stream 25 lbs. wide course S W  
40.00 set temp. g. sec. post  
80.09 Intersect N & S line 10 lbs. S. of post -  
Land 1<sup>st</sup> rate Barrens with a few scattering Oak

---

West Connected between Sec. 14 & 23

40.04 1/2 set g. sec. post at aver. dist. from which  
a W. Oak 19 in. dia. bears N 76 E 29 lbs. dist. 8,  
a Do 18 " " " S 35 W 19 " "  
80.09 to sec. cn.

---

North between Sec. 14 & 15

19.24 a W. Oak 20 in. dia.  
40.00 set g. sec. post from which  
a W. Oak 20 in. dia. bears S 27 E 62 lbs. dist. 8,  
a Do 20 " " " N 85 W 92 " "  
55.59 a Do 20 " "  
59.00 enter S. Prairie  
80.00 set post cn. of sec. 10, 11, 14 & 15 in S. Prairie  
water too deep to raise a Mound.  
Land level 2<sup>d</sup> rate, timber Oak

---

East on Randon between Sec. 11 & 14

23.50 leave Prairie  
40.00 set temp. g. sec. post

T. 27 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>  
 Ch. Lk.

40.00 enter S. Prairie

69.50 leave "

79.97 Intersect N. & S. line 23<sup>1</sup>/<sub>2</sub> M. N. of port -  
 Land & timber the same as before noted

---

West Corrected between Sec. 14 & 14

39.98<sup>1</sup>/<sub>2</sub> set g. sec. port at aver. dist. from which  
 a W. Oak 18 in. dis. bears S 7 E 40 M. dist. 8  
 a Do 24 " " " N 4 W 58 " "

79.97 to sec. cor.

---

North between Sec. 10 & 11

40.00 set g. sec. port from which  
 a W. Oak 24 in. dis. bears N 27 E 16<sup>1</sup>/<sub>2</sub> M. dist. 8  
 a Do 20 " " " N 9 E 153 " "  
 the port stands in edge of Prairie. Oct. 17. 1828

42.00 leave Prairie & enter Barrens

70.00 enter Prairie

80.00 set port cor. of sec. 2, 3, 10 & 11 & raised a Mound  
 (No Bearing trees)  
 Land rich, some scattering Oak

---

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. port in S. Prairie

45.00 leave S. Prairie

79.92 Intersect N. & S. line 32 M. N. of port -  
 Land & timber the same as last noted

---

West Corrected between Sec. 2 & 11

39.96 set g. sec. port at aver. dist. in Prairie  
 (No Bearing trees)

79.92 to sec. cor.

---

North between Sec. 2 & 3

7.00 enter Prairie

27.30 leave "

## T. 27 N., R. 3 W. S. Mer. Ind.?

Elev. Sh.

28.72 a W. Oak 30 in. dia.

40.00 let g. sec. port from which

a Bur Oak 18 in. dia bears S 8 E 96 lbs. dist. 8

a W. Oak 16 " " " N 77 W 92 " "

54.00 enter Prairie

68.50 leave "

70.77 a W. Oak 19 in. dia.

78.93 Intersect N. Boundary 22 lbs. W. of port -

let port at intersection cen. of sec. 2 &amp; 3 from which

a W. Oak 20 in. dia bears N 65 W 50 lbs. dist. 8

a Do 16 " " " S 25 E 65 " "

Land is the same as last noted

North between Sec. 33 &amp; 34

17.15 an Ironwood 7 in. dia.

18.29 let port on right bank of Tippecanoe R. from which

a Gum 8 in. dia bears N 61 W 12 lbs. dist. 8

a Do 4 " " " S 88 E 5 " "

23.38 let port on left bank of Tip. R. from which

a Willow 7 in. dia bears S 45 E 25 lbs. dist. 8

a Gum 5 " " " N 75 E 20 " "

40.00 let g. sec. port from which

a B. Oak 4 in. dia bears S 43 W 41 lbs. dist. 8

a W. Oak 16 " " " N 44 E 54 " "

54.40 a B. Oak 24 " "

71.57 a Do 24 " "

76.23 let port on left bank of Tip. R. from which

a B. Oak 24 in. dia bears S 15 E 23 lbs. dist. 8

a W. Oak 22 " " " N 40 E 8 " "

80.00 let port cen. of sec. 27, 28, 33 & 34 in the river,  
no bearing treesLand level 2<sup>d</sup> rate, timber Oak & Gum, Upr.

Ironwood &amp;c.

Exit on Prairie between Sec. 27 &amp; 34

2.70 to left bank of Tippecanoe River

## T. 27 N., R. 39 W. 2. Mer. Ind. a

Chs. Chs.

40.00 set temp. g. sec. post

71.00 enter S. Prairie

80.00 Intercept N. S. line 30 hrs. S. of post -  
Land State, timber Oak, no Uly.

## West Connected between Sec. 27 &amp; 34

40.00 set g. sec. post at aver. dist. from which

a W. Oak 10 in. diam bears S 51 E 20 hrs. dist &amp;

a Do 15 " " " N 87 W 16 " "

77.40 set post on left bank of Tip. R. from which

a W. Oak 20 in. diam bears N 21 E 24 hrs. dist &amp;

a Do 21 " " " S 35 W 48 " "

80.00 to sec. cor. October 18. 1828

## North between Sec. 27 &amp; 28

44.58 set post on right bank of Tip. R. from which

a Bur Oak 7 in. diam bears N 62 E 18 hrs. dist &amp;

a Do 6 " " " S 53 W 53 " "

22.53 a W. Oak 27 " "

40.00 set g. sec. post from which

a W. Oak 13 in. diam bears N 72 E 13 hrs. dist &amp;

a Do 18 " " " N 18 E 13 " "

43.13 set post on right bank of Tip. R. from which

an Ironwood 7 in. diam bears N 29 W 13 hrs. dist &amp;

a B. Oak 20 " " " S 42 E 24 " "

50.50 set post on left bank of Tip. R. from which

a B. Oak 8 in. diam bears S 87 W 23 hrs. dist &amp;

a R. Oak 23 " " " N 85 E 43 " "

55.70 a W. Oak 24 " "

67.55 a R. Oak 24 " "

80.00 set post cor. of sec. 21, 22, 27 &amp; 28 from which

a W. Oak 22 in. diam bears N 47 W 26 hrs. dist. &amp;

a Do 20 " " " S 33 W 28 " "

Land broken State, timber Oak, no Uly.

## East in Random between Sec. 22 &amp; 27



## T. 27 N., R. 3 W. 2. Mer. Ind. a

Ch. 20.

40.00 set temp. g. sec. post in Prairie

53.50 leave Prairie

80.12 Intersect N. &amp; S. line 37 1/2 hrs. S. of post -

Land the same as before noted. Prairie rich

West. Connected between Sec. 22 &amp; 27

40.06 set g. sec. post at aver. dist. from which

a W. Oak 24 in. diameter N 52° W 105 1/2 hrs. dist. S

a Do 24 " " " N 86° W 105 1/2 hrs. "

80.12 to sec. cor.

North between Sec. 21 &amp; 22

19.37 a W. Oak 24 in. dia.

20.00 enter a Prairie

39.50 leave "

40.00 set g. sec. post from which

a W. Oak 11 in. diameter East 35 hrs. dist. S

a Do 18 " " " N 24° W 30 " "

53.42 a Do 18 " "

70.13 a Stream 25 hrs. wide course S W

80.00 set post cor. of sec. 15, 16, 21 &amp; 22 from which

a W. Oak 23 in. diameter S 42° W 23 hrs. dist. S

a Do 19 " " " N 51° W 47 " "

Land level &amp; prairie, timber Oak, no Wgs.

East in Prairie between Sec. 15 &amp; 22

10.20 a Stream 25 hrs. wide course S W

20.18 a Do 25 " " " N W

29.20 a Do 25 " " " S W

35.18 a Do 25 " " " N W. & enter  
Prairie

40.00 set temp. g. sec. post

50.00 leave Prairie

80.18 Intersect N. &amp; S. line 24 hrs. N. of post -

Land rolling &amp; prairie, timber Oak, Wgs. Hazel

T. 27 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>

Ch. Ch.

West Connected between Sec. 15 &amp; 22

40.09 set of sec. port at aver. dist. in Prairie  
(No Bearing trees)

80.18 to sec. cn.

North between Sec. 15 &amp; 16

22.35 a Hickory 3 in. dia.

35.00 enter Prairie

40.00 set of sec. port in Prairie (No Bearing trees)

57.00 leave Prairie

57.50 a Bur Oak 18 in. dia.

80.00 set port cn. of sec. 9, 10, 15 & 16 from which  
a W. Oak 24 in. dia. bears N 76° W 12 lbs. dist. 23  
a Do 24 " " " N 74° E 11 " "  
Land 2-ate, timber Oak, no Ulp.

East on Random between Sec. 10 &amp; 15

15.00 enter Prairie

22.00 leave "

26.00 enter S. Prairie

40.00 set of sec. port (temp.) in S. Prairie

55.00 leave Prairie

65.00 enter S. Prairie

80.15 Intersect N &amp; S line 7 lbs. N. of port -

Land &amp;c. the same as before noted

West Connected between Sec. 10 &amp; 15

40.07 1/2 set of sec. ports at aver. dist. in Prairie  
(No Bearing trees)

80.15 to sec. cn.

North between Sec. 9 &amp; 10

17.27 a Lymn 36 in. dia.

39.50 enter Prairie

40.00 set of sec. port from which

a W. Oak 18 in. dia. bears S 18° E 66 lbs. dist. 170

T. 27 N., R. 3 W. 2. Mer. Ind. a.  
Chr. Sh.

a B. Oak 24 in. diam. bears S 14 W 115 lbs. dist.

60.50 leave Prairie

60.65 a W. Oak 30 in. dia.

80.00 set post cor. of sec. 3, 4, 9 & 10 from which

a W. Oak 24 in. diam. bears S 58 E 100 lbs. dist. 3

a Do 22 " " " N 45 W 60 " "

Land &c. as before noted

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

60.00 enter S. Prairie

70.00 enter Oak grove

74.50 enter Prairie

80.20 Intersect N. & S. line 8 lbs. N. of post -

Land as before noted, Prairie rich

West Connected between Sec. 3 & 10

40.10 set g. sec. post at corner. dist. from which

a W. Oak 18 in. diam. bears S 41 W 16 lbs. dist. 3

a Do 14 " " " N 10 W 11 " "

80.20 to sec. cor.

North between Sec. 3 & 4

19.45 a B. Oak 18 in. dia.

19.63 a Stream 20 lbs. wide course S W

40.00 set g. sec. post from which

a W. Oak 18 in. diam. bears S 85 E 45 lbs. dist. 3

a Do 6 " " " N 48 W 41 " "

60.30 a Do 22 " "

61.00 enter S. Prairie

73.33 leave "

79.00 Intersect N. Boundary 105 lbs. W. of post -

set post at intersection cor. of sec. 3 & 4 from which

a Spruce 14 in. diam. bears S 37 E 44 lbs. dist. 3

a W. Oak 20 " " " N 57 W 70 " "

Land level & water, timber Sugar, Spruce & Oak

T. 27 N., R. 34 W. 2. Mer. Ind. a  
Chas. Lbr.

Wm. Hazel, Oaks & Hickory October 19. 1828

North between Sect. 32 & 33

26.00 leave Prairie

26.53 a R. Oak 12 in. dia.

40.00 set of sec. port from which

a Jack Oak 6 in. dia. bears N 52 E 115 lbs. dist 3

a Do 5 " " " N 70 E 137 " "

51.02 a W. Oak 42 " "

57.00 enter Prairie

70.00 leave "

80.00 set port cor. of sec. 28, 29, 32 & 33 from which

a R. Oak 18 in. dia. bears N 69 E 103 lbs. dist 3

a W. Oak 22 " " " N 85 W 28 " "

Land level 1/2 rate, timber Oak, Wm. Hazel & Plum

East on Random between Sect. 28 & 33

40.00 set temp. of sec. port

78.00 to right bank of Tippecanoe River

80.00 Intersect N. G. line 54 lbs. N. of port -

Land rising 2 rate, timber Oak, no Wm.

West Corrected between Sect. 28 & 33

2.50 set port on right bank of Tip. R. from which

a W. Oak 24 in. dia. bears N 29 W 54 lbs. dist 3

a Do 23 " " " S 60 W 71 " "

40.00 set of sec. port at over. dist. from which

a W. Oak 17 in. dia. bears N 53 W 42 lbs. dist 3

a J. Oak 6 " " " S 73 E 76 " "

80.00 to sec. cor.

North between Sect. 28 & 29

15.00 enter Prairie

40.00 set of sec. port from which

a Jack Oak 7 in. dia. bears S 77 E 155 lbs. dist 3

a Do 8 " " " N 8 W 104 " "

T. 27 N., R. 34 W. 2. Mer. Ind. a

Chs. Lk.

68.47 a B. Oak 8 in. dia.

80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
a B. Oak 7 in. dia bears S 64 W 88 lbs. dist. 8

a Do 8 " " " N 40 E 74 " "

Land level 2. rate, some Oak timber, no Ugs.

East on Random between Sec. 21 & 28

34.50 to right bank of Tippecanoe River

39.00 lower end of Island

39.65 to 2. Channel

40.00 set temp. q. sec. post in 2. channel

41.56 to left bank of Tip. R.

80.10 Entered N. S. line 100 lbs. N. of post -

Land broken & 2. rate, timber Oak, Ugs. Oak  
& Grapes

West Connected between Sec. 21 & 28

39.20 set post on left bank of Tip. R. from which

a Bur Oak 10 in. dia bears S 31 W 34 lbs. dist. 8

a Do 22 " " " N 83 E 38 " "

40.05 q. sec. cor. at aver. dist. in River

46.00 set post on right bank of Tip. R. from which

a J. Oak 6 in. dia bears N 37 E 9 lbs. dist. 5

a B. Ash 5 " " " N 24 E 24 " "

80.10 to sec. cor.

North between Sec. 20 & 21

0.50 enter Prairie

40.00 set q. sec. post in Prairie (no bearing trees)

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

a Hickory 12 in. dia bears N 62 E 202 lbs. dist. 8

a Do 18 " " " N 45 E 124 " "

Land 1. rate

East on Random between Sec. 16 & 21

39.50 leave Prairie



T. 27 N., R. 3 W. 2. Mer. Ind. a  
Chas. Ellis.

40.00 set temp. g. sec. port  
45.00 to right bank of Tippucanoe River  
58.42 to left " " Do Section Prairie  
65.00 leave Prairie  
80.19 Enter cut N. G. line 34 lbs. N. of port -  
Land broken, T. State Prairie, timber Oak,  
no Upr.

West Carceted between Sec. 16 & 21  
21.77 set port on left bank of Tipp. R. from which  
no Bearings, being in Prairie  
35.19 set port on right bank of Tipp. R. from which  
a Sym 8 in. dia. bears N 20 E 7 lbs. dit &  
a W. Oak 20 " " " S 147 N 29 " "  
40.09 set g. sec. port at aver. dit. from which  
a R. Oak 6 in. dia. bears N 65 E 44 lbs. dit &  
a W. Oak 18 " " " N 64 E 44 " "  
80.19 to sec. cor.

North between Sec. 16 & 17  
30.00 leave Prairie  
30.97 a W. Oak 24 in. dia.  
37.16 a Stream 16 lbs. wide course S E  
40.00 set g. sec. port from which  
a R. Oak 18 in. dia. bears S 8 E 22 lbs. dit &  
a W. Oak 18 " " " S 33 N 27 " "  
50.36 a Do 20 " "  
59.00 set port on right bank of Tippucanoe R. from which  
an Ironwood 7 in. dia. bears N 6 E 9 lbs. dit &  
a Do 5 " " " - 37 N 10 " "  
64.43 set port on left bank of Tipp. R. from which  
a S. Oak 6 in. dia. bears S 21 E 7 lbs. dit &  
a Hickory - " " " S 75 N 5 " "  
80.00 set port cor. of sec. 8, 9, 16 & 17 from which  
a R. Oak 20 in. dia. bears N 59 W 67 lbs. dit &  
a Do 21 " " " N 73 E 61 " "

T. 27 N., R. 3 W. 2. Mer. Ind. a  
Chr. Sh.

Land broken rich, timber Walnut &c.

East on Random between Sec. 9 & 16

40.00 set temp. of sec. port

80.00 Intersect N. S. line 60 th. N. of port -

Land level T. rate, timber Sugar. Upr. Hazel

West Connected between Sec. 9 & 16

40.00 set of sec. port at aver. dist. from which

a P. Oak 4 in. diameter N 33 W 10 th. dist. 8

a W. Oak 15 " " " N 71 E 27 " "

80.00 to sec. cor. October 20. 1828

North between Sec. 8 & 9

22.15 a P. Oak 24 in. dia.

40.00 set of sec. port from which

a B. Ash 18 in. diameter N 23 E 37 th. dist. 8

an Elm 12 " " " S 7 E 16 " "

42.79 a Stream 25 th. wide course W

62.73 a Poplar 24 in. dia.

80.00 set port cor. of sec. 4, 5, 8 & 9 from which

an Elm 24 in. diameter S 40 W 7 th. dist. 8

a Hickory 12 " " " N 6 W 9 " "

Land & timber as before noted

East on Random between Sec. 4 & 9

30.26 a Stream 21 th. wide course S W

40.00 set temp. of sec. port

80.00 Intersect N. S. line 62 th. N. of port -

Land &c. the same as last noted

West Connected between Sec. 4 & 9

40.00 set of sec. port at aver. dist. from which

a Sp. Oak 15 in. diameter S 30 E 33 th. dist. 8

a Hickory 6 " " " N 32 E 38 " "

80.00 to sec. cor.

## T. 27 N., R. 3 W. 2. Mer. Ind. a.

Chs. Ebs.

North between Sect. 4 &amp; 5

16.03 a Lynn 24 in. dia.

40.00 set of sec. part from which

a W. Oak 20 in. dia. bears S 18° W 41 lbs. dist. 8,

a J. Oak 8 " " " N 45° W 11 " "

59.14 an Elm 20 " "

79.50 Intersect N. Boundary 94 lbs. N. of port -

set part at intersection cn. of sec. 4 &amp; 5 from which

a Saprasp 6 in. dia. bears S 50° W 24 lbs. dist. 8,

a Do 8 " " " N 89° E 9 " "

Land T. Prato, timber Sugar, Ash & Poplar,  
Wyl. Oak & Hickory

North between Sect. 31 &amp; 32

35.00 leave Prairie

40.00 set of sec. part from which

a Hickory 9 in. dia. bears N 78° W 10 lbs. dist. 8,

a J. Oak 6 " " " N 77° E 33 " "

52.00 enter S. Prairie

61.00 leave "

80.00 set part cn. of sec. 29, 30, 31 &amp; 32 from which

a W. Oak 16 in. dia. bears S 10° W 50 lbs. dist. 8,

a Do 18 " " " N 46° W 30 " "

Land level & T. Prato, scattering Oak timber, no  
Wyl.

East on Random between Sect. 29 &amp; 32

40.00 set temp. of sec. part

79.89 Intersect N. &amp; S. line 45 lbs. N. of port -

Land rolling S. Prato, timber Oak, no Wyl.

West Connected between Sect. 29 &amp; 32

39.94 set of sec. part at aver. dist. from which

a J. Oak 5 in. dia. bears N 60° E 25 lbs. dist. 8,

a W. Oak 24 " " " S 32° W 66 " "

79.89 to sec. cn.

## T. 27 N., R. 3 W. 2. Mer. Ind. a.

Chr. Pk.

West between Sect. 30 &amp; 31

19.77 a W. Oak 18 in. dia.

40.00 set g. sec. port from which

a W. Oak 24 in. dia. bears S 27 W 29 lbs. dist. 3

a Dr 18 " " " S 52 W 42 " "

56.05 a B. Oak 10 " "

80.00 Intersect W. Boundary 65 lbs. N. of port -

set port at intersection cen. of sect. 30 &amp; 31 from which

a B. Oak 24 in. dia. bears N 15 W 92 lbs. dist. 2

a Dr 20 " " " S 81 E 185 " "

Land 2<sup>d</sup> rate, timber Oak, no Ulyx.

North between Sect. 29 &amp; 30

36.71 a W. Oak 20 in. dia.

40.00 set g. sec. port from which

a W. Oak 18 in. dia. bears N 79 E 47 lbs. dist. 3

a J. Oak 5 " " " S 5 E 75 " "

63.37 a Dr 8 " "

80.00 set port cen. of sect. 19, 20, 29 &amp; 30 from which

a B. Oak 12 in. dia. bears S 12 E 124 lbs. dist. 3

a Dr 18 " " " N 73 W 250 " "

Land the same as before noted

East in Random between Sect. 20 &amp; 29

7.00 enter Prairie

40.00 set temp. g. sec. port

80.00 Intersect N. G. line 50 lbs. N. of port -

Land level mostly Prairie

West Connected between Sect. 20 &amp; 29

40.00 set g. sec. port at aver. dist. in Prairie

(No Bearing trees)

80.00 to sec. cen.

West between Sect. 19 &amp; 30

5.00 enter Barrens



T. 27 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>

Chas. Sh.

35.00 enter Prairie

40.00 set q. sec. post (no Bearing trees)

80.50 Intersect W. Boundary 18<sup>th</sup> M. N. of post -  
set post at intersection cr. of sec. 19 & 20 & raised  
a Mound. (No Bearing trees)

Land level &amp; T. rate. October 21, 1828

## North between Sec. 19 &amp; 20

1.00 enter Prairie

40.00 set q. sec. post in Prairie (No Bearing trees)

74.00 leave Prairie

80.00 set post cr. of sec. 17, 18, 19 & 20 from which  
a W. Oak 20 in. dia. bears S 28 E 37 M. dist. 9  
a Do 18 " " " N 29 W 41 " "  
Land T. rate 4.

## East in Pradon between Sec. 17 &amp; 20

10.00 enter Prairie

40.00 set temp. q. sec. post in Prairie

80.14 Intersect N. S. line 44 M. N. of post -  
Land & as last noted

## West Connected between Sec. 17 &amp; 20

40.07 set q. sec. post at aver. dist. in Prairie  
(No Bearing trees)

80.14 to sec. cr.

## West between Sec. 18 &amp; 19

7.10 a Stream 16 M. wide course N W

20.58 a W. Oak 15 in. dia.

33.50 enter Prairie

40.00 set q. sec. post in Prairie (No Bearing trees)

80.17 Intersect W. Boundary 50 M. N. of post -  
set post at intersection cr. of sec. 18 & 19  
Raised a Mound - Land as before noted



## T. 27 N., R. 3 W. S. Mer. Ind.

Chas. Ghr.

North between Sec. 17 &amp; 18

11.25 a Stream 10 lbs. wide course SE

16.25 a Do 16 " " " " NW

20.30 a Do 16 " " " " SE

29.97 a W. Oak 18 in. dia.

40.00 set g. sec. post from which

a W. Oak 22 in. dia. bears S 73 E 35 lbs. dist 3

a Do 18 " " " " S 30 W 29 " "

68.92 a Do 18 " "

80.00 set post cor. of sec. 7, 8, 17 &amp; 18 from which

a S. Oak 6 in. dia. bears N 69 W 34 lbs. dist 3

a W. Oak 17 " " " " N 1 E 67 " "

Land level S. rate, timber Oak, no bluffs.

East on Raudon between Sec. 8 &amp; 17

40.00 set temp. g. sec. post

67.05 to right bank of Tippecanoe River

73.50 to left " " Do

80.00 Intersect N. G. line 8 lbs. N. of post -

Land a little rolling S. rate, timber Oak

West Corrected between Sec. 8 &amp; 17

6.50 set post on left bank of Tip. R. from which

a Sycamore 36 in. dia. bears S 65 W 19 lbs. dist 3

a Do 30 " " " " S 47 W 25 " "

12.97 set post on right bank of Tip. R. from which

a B. Oak 30 in. dia. bears N 57 W 41 lbs. dist 3

a R. Oak 24 " " " " S 52 W 85 " "

40.00 set g. sec. post from which

a Hickory 4 in. dia. bears S 33 W 10 lbs. dist 3

a Do 14 " " " " N 28 W 47 " "

80.00 to sec. cor.

West between Sec. 7 &amp; 18

32.41 a W. Oak 24 in. dia.

34.71 enter Prairie

T. 27 N., R. 3 W. E. Mer. Ind. Co.  
Ch. 26.

40.00 set g. sec. post in Prairie (No Bearing trees)

53.50 leave Prairie

55.35 a B. Oak 5 in. dia.

80.51 Intersect W. Boundary 56 ths. N. of post -  
set post at intersection cor. of sec. 7 & 8 from which  
a B. Oak 34 in. dia. bears S 25° W 125 ths. dist - 8  
a B. Oak 24 " " " S 33° E 235 " " "  
Land level & rate, timber Oak, no Upr.

North between Sec. 7 & 8

2.31 enter S. Prairie

20.00 leave "

27.42 a W. Oak 12 in. dia.

40.00 set g. sec. post from which

a S. Oak 6 in. dia. bears S 87° E 221 ths. dist - 8

a W. Oak 20 " " " N 11° E 122 " " "

59.50 a B. Oak 18 " " "

67.50 set post on right bank of Tipp. R. from which

a W. Oak 14 in. dia. bears S 84° W 40 ths. dist - 8

a Do - " " " N 72° W 35 " " "

77.00 leave the river, the line run up in the river & came  
out on the same side

79.00 a Stream 15 ths. wide crosses S 60

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a B. Oak 30 in. dia. bears S 9° E 18 ths. dist - 8

a Buckeye 10 " " " N 25° E 87 " " "

Land as before noted. Post on river bank

East on Random between Sec. 5 & 8

6.41 to left bank of Tupper River

40.00 set temp. g. sec. post

80.12 Intersect N. & S. line 4 ths. S. of post -

Land level S. rate, timber Sugar, Ash &  
Poplar, Upr. Hickory & Oak

West Connected between Sec. 5 & 8

## T. 27 N., R. 3 W. 2. Mer. Ind. a

Ch. Sp.

40.00 set gr. sec. post at aver. dist. from which  
 a W. Oak 33 in. diameter S 93° W 14 lbs. dist. 8  
 a B. Oak 19 " " " N 60° E 18 " "

74.11 set post on left bank of Tip. R. from which  
 a B. Oak 6 in. diameter S 88° W 8 lbs. dist. 8  
 a A. Oak 6 " " " N 67° E 6 " "

80.12 to sec. cor. October 22. 1828

## West between Sec. 6 &amp; 7

6.21 a Stream 14 lbs. wide course S E

37.26 a W. Oak 18 in. dia.

40.00 set gr. sec. post from which  
 a W. Oak 20 in. diameter N 86° W 86 lbs. dist. 8  
 a Do 20 " " " S 73° W 88 " "

42.00 enter Prairie

80.66 Intersect N. Boundary 20 lbs. N. of post -  
 set post at intersection cor. of sec. 6 & 7 & raised  
 a Mound. - Land 1/2 mile rolling  
 L. rate timber Oak - 2 1/2 mile 1. rate Prairie

## North between Sec. 5 &amp; 6

21.22 a W. Oak 18 in. dia.

40.00 set gr. sec. post from which  
 a W. Oak 12 in. diameter S 3° E 31 lbs. dist. 8  
 a Do 18 " " " N 78° E 38 " "

60.50 Mettamong Creek 150 lbs. wide course S E

80.00 Intersect N. Boundary 200 lbs. N. of post -  
 set post at intersection cor. of sec. 5 & 6 from which  
 a W. Oak 11 in. diameter S 18° E 42 lbs. dist. 8  
 a Do 24 " " " N 80° W 38 " "  
 Land rolling 1. rate, timber Oak &c.  
 This Township was commenced on the  
 15<sup>th</sup> October 1828 - October 23. 1828

Meanders of Tippecanoe River.

Commencing at post in N. Boundary thence

194

T. 27 N., R. 3 W. 2. Mer. Ind. a.

left bank down stream:

Courses	Chr. & H.	Remarks
S 17° W	11.60	In Sec. 5 - at 8.50 Chr. lower end of Island
South	6.00	{ at 10.00 upper end of cluster
S 17° E	2.86	of Islands
S 19° E	8.59	
S 44° W	9.00	
S 33° E	3.30	
South	11.16	
S 22° W	7.68	
S 25° W	4.39	
S 29° W	15.09	at 12.00 Chr. lower end of cluster of Islands
S 39° W	1.69	to point on line between Sec. 5 & 8
S 39° W	2.19	In Sec. 8
S 32° W	3.82	
S 18° W	5.87	
S 13° E	5.16	
S 52° E	7.50	
S 84° E	3.87	
S 18° E	9.52	
N 72° E	7.42	a 6.50 Chr. a Stream 100 yds. wide
S 77° E	8.20	
S 72° E	4.54	
S 54° E	10.00	
S 57° E	5.44	
S 64° E	3.73	
S 77° E	4.53	
S 64° E	8.74	
S 30° E	2.05	
S 45° E	3.95	
S 23° E	4.69	at 3.25 Chr. a Stream 50 yds. wide
S 19° W	12.20	
S 17° W	4.29	
S 30° W	6.75	

## T. 27 N., R. 3 W. 2. Mer. Ind. a

Current Obs. Hrs.

Remarks

S19W	11.10	
S10E	6.50	to port in line between Sec. 8 & 17
S10E	1.45	In Sec. 17
S17E	3.11	
S37E	3.91	
S63E	2.30	
S76E	1.00	to port in line between Sec. 16 & 17
S76E	2.52	In Sec. 16
S86E	6.83	
N87E	9.72	at 1.00 Ch. upper end of Island
S73E	3.81	
S71E	4.91	at 2.00 Ch. lower end of Island
S81E	7.25	
S62E	3.20	
S27E	7.70	at 3.45 Ch. a Stream 10 hrs. wide
S8E	3.14	
S12W	11.00	
S36W	3.07	
S57W	10.25	
S18W	4.78	
S47W	5.20	
S40E	4.36	
S61E	15.35	
S36E	7.72	
S60E	13.14	to port in line between Sec. 16 & 21
S60E	8.11	In Sec. 21
S34E	7.21	
S15W	10.22	
S57W	4.00	
S26W	4.21	
S37W	6.07	
S51W	2.30	
S57W	3.42	



196

T. 27 N., R. 37 W. 2<sup>d</sup> Mer. Ind. a

Courses Chs. Etc.

Remarks

S 67 W	2.72	
S 48 W	2.50	
S 51 W	2.09	
S 43 W	3.33	
S 35 W	3.11	
S 39 W	7.00	
S 20 W	13.00	
S 23 W	4.91	
S 10 W	8.50	upper end of Island
S 6 E	2.54	
S 15 E	2.26	
S 4 W	2.38	to port in line between Sec. 21 & 28 - lower end of Island

S 21 W	3.41	In Sec. 28
S 11 W	11.91	
S 34 E	3.44	
S 37 E	5.81	
S 57 E	4.60	
S 73 E	4.73	
East	2.59	
N 80 E	4.21	
S 77 E	7.12	
S 80 E	7.93	at 1.75 Chs. a Stream 20 Chs. wide
S 76 E	6.71	March 5. 1829
S 55 E	2.04	To port in line between Sec. 27 & 28

S 55 E	5.70	In Sec. 27
S 29 E	6.94	
S 9 W	6.68	
S 5 E	14.76	at 5.00 Chs. a Stream 6 Chs. wide
S 14 W	10.30	
S 20 W	7.71	
S 35 W	2.95	to port in line between Sec. 27 & 34

S 35 W	5.00	In Sec. 34 - to port in line betw. Sec. 33 & 34
--------	------	-------------------------------------------------

## T. 27 N., R. 34 W. 2. Mer. Ind.?

Course Cht. Eht.

Remarks

S354N 8.55 In Sec. 33

S134N 1.16

S34N 4.16

S154N 6.97

South 3.86

S4E 8.50

S274N 6.91

S344N 5.66

S54N 2.98

S29E 2.75

S40E 3.00

S57E 2.50

S78E 3.50

N89E 4.00 to port in line between Secs. 33 &amp; 34

N76E 3.80 In Sec. 34

N56E 7.07 upper end of cluster of Islands

N53E 12.89

N71E 6.10

N85E 6.45

N57E 8.91

N75E 6.75

N68E 10.60 at 5.00 Cht. lower end of cluster of Islands

S71E 9.41

S49E 7.70

S16E 6.21

S284N 6.61

S254N 14.04 at 13.00 Cht. upper end of cluster of Islands

S304N 4.38

S464N 6.50

S484N 2.69

S664N 5.30

S884N 5.79

S424N 4.14

S244N 5.10 to port in S. Boundary on left bank of  
Tipppecanoe River

T. 27 N., R. 3 W. 2. Mer. Ind.<sup>a</sup>

Gauges Ebn Ebn

Remarks

Commencing at post in S. Boundary,  
thence right bank up stream:

N6E 7.24 In Sec. 34

N43E 4.94

N53E 3.44

N43E 8.58

N62E 4.70

N45E 6.15

N54E 9.20 at 6.50 upper end of cluster of Islands

N39E 4.96

N10E 3.81

N89W 3.09

N399W 5.44

N849W 2.12

S769W 5.60 lower end of cluster of Islands

S539W 12.50

S369W 2.18

S689W 8.50

S639W 4.37

S579W 17.32

S769W 12.42 at 8.00 Ebn upper end of cluster of Islands

S739W 3.23

S809W 7.42 to post in line between Sec. 33 &amp; 34

S809W 2.50 In Sec. 33

N429W 6.25

N539W 6.87

N249W 7.23

N99W 4.92

N31E 4.91

N48E 4.00

N21E 4.00

N89W 16.95

N16E 8.50

N39E 8.27

N28E 3.26 to post in line between Sec. 28 &amp; 33

## T. 27 N., R. 3 W. 2. Sec. 28. Ind. a

Courses &amp; Chs. Lhs.

Remarks

N40E 6.00 In Sec. 28 - to post in line betw. Secs. 27 &amp; 28

N40E 3.00 In Sec. 27

N25E 4.31

N11E 8.80

N109W 10.00

N1E 4.58

N5E 5.43

N37W 3.41

N56W 4.15 to post in line between Secs. 27 &amp; 28

N56W 3.21 In Sec. 28

N72W 8.50

N79W 4.38

N88W 6.12

West 6.00

N79W 10.33

N65W 8.50

N40W 9.41

N17W 2.50

N4E 2.90

N29W 3.07

N7E 9.36

N11E 5.10 at 1.50 Ch. lower end of Island

North 2.43 to post in line between Secs. 27 &amp; 28

North 1.19 In Sec. 21

N12W 3.65 upper end of Island

N26E 21.48

N12E 6.84

N52E 8.74

N47E 7.80

N58E 10.02

N25E 9.29

N17W 4.13

N37W 8.23

T. 27 N., R. 3 W. 2. Mer. Ind.<sup>u</sup>

Courses Chs. &amp;c.

Remarks

N59W 6.57

N69W 3.12 at 2.00 Chs. State bank

N57W 9.92 to port in line between Secs. 16 &amp; 21

N61W 6.50 In Sec. 16 at 3.00 Chs. leave State bank

N44W 15.00

N69W 3.97

N34W 5.10

N25W 3.64 at 2.11 Chs. a Stream 10 Chs. wide

N3E 6.30 at 3.40 s a Sec 40 s s

N19E 6.50

N48E 11.50

N36E 3.88

N12E 4.92

N19W 2.74

N45W 2.42

N71W 5.90

N88W 6.34 at 5.00 Chs. lower end of Island

S87W 7.50

S85W 4.42 upper end of Island

N80W 9.94 to port in line between Secs. 16 &amp; 17

N70W 4.72 In Sec. 17

N63W 5.32

N33W 9.57

N87W 10.25 to port in line between Secs. 8 &amp; 17

N5E 8.47 In Sec. 8

N39W 8.89

N13E 6.66 March 6. 1829

N26E 10.23

North 5.96

N40W 6.11

N62W 6.75

N74W 1.57

N77W 2.25



## T. 27 N., R. 3 W. 2. Mer. Ind. a

Barnes Ch. Sh.

Remarks

N60°W 12.21	
N46°W 4.22	
N67°W 5.11	
N74°W 8.00	
S82°W 4.12	
S62°W 5.65	
S76°W 6.00	
S83°W 8.00	
N65°W 8.17	
N33°W 2.67	to post in line between Sec. 7 & 8, from which a W. Oak 14 in. diam bears S8°W 40 M. dist. 8 a S. - " " " N72°W 35 " "
N36°W 1.80	In Sec. 7
N15°W 4.16	
N23°E 3.00	
N30°E 2.75	to post in line between Sec. 7 & 8 from which a R. Oak 20 in. diam bears N74°W 172 M. dist. 8 a W. Oak 24 " " " N77°W 180 " "
North 3.00	Along line between Sec. 7 & 8, to cn. of sec. 5, 6, 7 & 8 - at 1.95 Ch. a Stream 20 M. wide
N33°E 11.98	In Sec. 5 - lower end of cluster of Islands
N14°E 9.57	
N28°E 7.42	
N10°W 10.20	
N16°E 9.39	
N20°W 10.00	
N37°W 3.00	
N41°W 7.68	Mettamonong Creek 220 M. wide
N12°E 15.00	at 1100 Ch. lower end of Island
N12°W 3.00	to post in N. Boundary on right bank of Tijpucanoc River. March 7. 1829

T. 27 N., R. 3 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

Pursuant to a contract dated 15<sup>th</sup> day of August 1828 and instructions from Edward Tiffin Surveyor General of the United States I have surveyed and subdivided into sections the above named township in the State of Indiana, described in said contract, and I certify that the foregoing are correct and true field notes of the lines they purport to be as a part of said contract.

Certified this 30<sup>th</sup> day of March 1829

David Hillis

Dep. Surveyor.

I certify that the foregoing transcript of Field Notes of the survey of Township N. 27 North, in Range R. 3 West of the 2<sup>d</sup> Principal Meridian in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, Oct. 22. 1842

William Johnston  
Sur. Genl.